


2024





morsedrum.com

Phone: (315) 437-8475 | Email: info@morsedrum.com



Since 1923, Morse Manufacturing has been dedicated to giving you more and in today's world of increased domestic and international competition, you should expect

What can you expect from Morse Manufacturing?

Customer Service:

Expect personal attention from one of our customer service representatives. Visit the Company Directory on our website, give us a call and let us get to know you personally.



We value your time and your knowledge! You can expect assistance with any drum-handling question when you contact us.

Product Support:

If you have a technical question, expect to speak with one of our design engineers. We strive to make sure you get the best product to meet your needs.

- **Product Selection:** Morse offers the most extensive line of drum handling equipment. If you don't see what you need in our standard offering, our custom capabilities will help meet your application requirements.
- Product Quality: Every Morse Product design was professionally engineered in-house to exceed industry standards.
 You see foreign products that look like a Morse? Know with confidence who designed the original! We are so
 confident in our products, our skilled employees, our certified welders, and our production process that we offer a
 2-year warranty against defects.
- Product Information: Current and informative product literature and parts diagrams. Visit the literature pages on our website. We labor tirelessly to keep our literature up to date and you informed of any product introductions or changes.
- History: With over 100 years of history, you can expect us to provide you with replacement parts or product upgrades when you need them in the future 5, 10, or 20 years from now. Morse is committed to manufacturing our products in the USA.

Thanks for considering Morse for your drum handling needs. Please feel free to contact us.

Nathan Andrews

President

Phone: (315) 437-8475

Email: info@morsedrum.com





Power-Grip Fork Mount Drum Handler

See page 6

Expanded Morse Factory

Syracuse, NY U.S.A.



MORCINCH[™]

Drum Handling System





MORCINCH™ Drum Holder automatically adjusts for 22" to 23.5" (56 to 59.7 cm) diameter drum

MORCINCH™ Kits to Safely Handle Any Drum

Top Rim Clamp for RIMMED Drum



Clamp onto Top Rim Prevents RIMMED 30 to 55 gallon (114-210L) plastic or fiber drum from slipping

Bracket Assembly for Rimless Drum




Prevents RIMLESS or RIMMED plastic or fiber drum from slipping Adjust for 31-39"

(79-99 cm) tall drum



Diameter Adapters for Smaller Drums





MORStop Tilt-Brake™ automatically holds drum tilt angle



Drum Cones



- Reduce dust
- Select correct size cone for each drum
- Centered or offset cones
- Mild steel or stainless steel





HYDRA-LIFT KARRIERS



Spark resistant and stainless steel models Power lift and tilt models: AC, 12V DC or Air Manual lift and tilt models



400S-XR Series

Extended Reach

- 600 Lb. (272 kg) capacity
- Pour 20" (50.8 cm) beyond wheels at 71" (180 cm) high
- Access drum on pallet

400 Series

Hydra-Lift Karriers

- 800 Lb. (363 kg) capacity
- 72" or 96" (183 or 244 cm) pour



80 Series

Mobile-Karriers

- Lower handle to raise drum
- Grasp drum to tilt by hand
- 800 Lb. (363 kg) capacity





VERTICAL-LIFT POURERS

SCAN ME

510 and 520 Series Vertical-Lift Drum Pourers

- Lifts drum straight up
- · Compact base and turning radius
- Rotate 360°
- 60" or 106" (152 or 269 cm) pour
- 800 Lb. (363 kg) capacity





515 and 525 Series Scale-Equipped Vertical-Lift Drum Pourers

- · Weigh drum while pouring
- Dispense amount needed
- · No need for separate scale



Model # 915 < PILOT > MORSPEED™ Drum Mover / Stacker

Stack RIMMED upright drum up to 9.5 feet (2.9 m) high! Capacity: 1500 Lb. (680 kg)



Power-Propelled Drum Handlers

- Pour up to 10.5 feet (3.2 m) high!
- Fully invert drum
- Straddle Pallet

Model # 900 - Power Lift and Tilt

Capacity: 1500 Lb. (680 kg)

Model # 905 - Scale-Equipped

- · Weigh drum while pouring
- Capacity: 800 Lb. (363 kg)

Model # 920 - Power GRIP, Lift and TILT

• Capacity: 1500 Lb. (680 kg)



FORKLIFT-KARRIERS

Battery Power GRIPGO **Grip and Tilt**

- **Power Grip and Tilt**
- **Self-contained battery**
- Lift and pour right from forklift
- 14" to 24" (35.6 to 61 cm) diameter drum
- Requires 25" (63.5") between forks
- Capacity: 1500 Lb. (680 kg)



- Safety conscious forklift drum handling
- Rotate drum 360°
- Mount quickly onto forks
- Requires 25" (63.5 cm) between forks
- Stainless steel or spark resistant models





Forklift-Karriers

Super-Duty

150:1 tilt ratio

with toggle clamp

Forklift-Karriers

2500 Lb. (1134 kg) Capacity

Heavily reinforced drum holder

60:1 tilt ratio

1500 Lb. (680 kg) Capacity

Forklift-Karriers 800 Lb. (363 kg) Capacity

30:1 tilt ratio

Extra Heavy-Duty Forklift-Karrier

2000 Lb. (907 kg) Capacity

150:1 tilt ratio

Secure drum with two web straps

Battery Power Tilt (Manual Grip) Manually secure drum in holder

- Control drum tilt with 2-button wired pendant
- Fully invert drum



Model 285A-BP 1500 Lb. (680 kg) capacity.

Secure drum with cinch chain and ratchet

Model 285XBP 2500 Lb. (1134 kg) capacity

Heavily reinforced drum holder with toggle clamp



FORKLIFT ATTACHMENTS

Move MORE Drums with MORSPEED™

- · Move upright drums with forklift
- · Handle RIMMED steel, plastic or fiber drums
- · Reliable mechanical drum grip
- · Mount quickly onto forks
- Requires 16.5" (41.9 cm) between forks



Capacity: 1500 Lb. (680 kg) per drum

Single and Double drum handlers







Capacity: 1000 Lb. (454 kg)

Requires 50 Lb. (23 kg) drum to actuate jaws







MORStak™ Forklift Mounted Drum Rackers

- Safety conscious drum racking with your forklift
- Avoid dangerous bare fork drum handling
- RIMMED 55-gallon (210L) steel or plastic drum
- · Rack drums side by side with faucet for dispensing
- 800 Lb. (363 kg) capacity



KONTROL-KARRIERS





195 Series Power-Tilt Kontrol-Karriers

Fully invert drum in 15 seconds Capacity: 1500 Lb. (680 kg)

85 Series **Drum Karriers**

Lift and pour drum within reach Grasp drum by hand to tilt Capacity: 800 Lb. (363 kg)



· Safety-conscious below- hook drum handling

- Rotate drum 360°
- · Stainless steel or spark resistant models
- Load tested at Morse factory as per American National Standard ASME B30.20.
 Each unit ships with Load Test Certificate.

185 Series Manual-Tilt Kontrol-Karriers



Kontrol-Karriers 800 Lb. (363 kg) Capacity 30:1 tilt ratio

Extra Heavy-Duty Kontrol-Karrier 2000 Lb. (907 kg) Capacity

150:1 tilt ratio

Two web straps secure drum

Heavy-Duty
Kontrol-Karriers
1500 Lb. (680 kg) Capacity

1500 Lb. (680 kg) Capacity 60:1 ratio

Super-Duty Kontrol-Karriers

2500 Lb. (1134 kg) Capacity 150:1 tilt ratio

Heavily reinforced drum holder with toggle clamp



BELOW-HOOK LIFTERS

Stainless or spark resistant models



92 Series

Below-Hook Drum Lifters

RIMMED steel, plastic or fiber drum Lift a range of drum sizes Grip under drum rim

Model 91 (not shown) **Lifter for ONLY Steel Drum or Overpack**





90 Series **Verti-Karriers**


RIMMED 55-gallon (210L) steel drum

Alternating grip and release for remote lifting



Under-drum support Steel, plastic or fiber drum





Model 42 **Heavy-Duty Steel Drum Lifter**

Two lift modes 55-85 gallon (210-321L) steel drum

Drum Lifting Hook

Horizontal 55-gallon (210L) steel Standard or spark resistant model Capacity: 1000 Lb. (454 kg)



Fork Mount Hook

DRUM TUMBLERS





Vigorous "corner-over-corner" mixing

 30-55 gallon (114-210L) steel, plastic or fiber drum

 Capacity: 800 Lb. (363 kg) Full Drum 400 Lb. (181 kg) Half-Full Drum

310 Series

Tilt-To-Load Drum Tumblers

- · Easy Floor-Level Loading
- Hydraulic Power Lift
- Variable drum RPM





309 Series

Drum Tumblrs™

- Load upright drum with hoist
- Fixed or variable speed



ALL Drum Rotators REQUIRE Controls to Start / Stop





311 Series

Complete Tilt-To-Load Drum Tumblers

- Includes Drum Tumbler, Automated Controls and Enclosure with Interlock
- Automated Controls lift drum, rotate for time set, then return drum to upright at floor-level for easy unloading

DRUM ROLLERS

SCAN ME



456 Series

Hydra-Lift Drum Rollers

- Easy Floor-Level Loading
- · Hydraulic Power Tilt
- Variable drum RPM

DRUM ROLLERS

- · Gentle mixing
- 30-55 gallon (114-210L) steel drum
- Capacity: 1000 Lb. (454 kg) Liquid load 300 Lb. (136 kg) Dry load



OSHA, CSA and EU REQUIRE ALL Drum Rotators be in Enclosure with Safety Interlock







Stationary Drum Rollers

- Load horizontal drum with hoist
- Fixed or variable speed
- Single or double drum models



201 Series

Portable Drum Rollers

- Rock-Over Drum Loading
- · Fixed or variable speed
- Capacity:

Liquid load: 500 Lb. (227 kg)
Dry load: 300 Lb. (136 kg) at 20 RPM



DRUM RACKERS



SCAN ME

Morse Drum Rackers

- · Safety-conscious drum handling
- · Eliminate dangerous bare fork drum handling
- · Rack RIMMED 55-gallon (210L) steel or plastic drum
- · Rack drum horizontally with faucet for dispensing
- · Ergonomic Battery, AC or AIR power controls
- · Spark resistant models
- Capacity: 800 Lb. (363 kg)

611 and 620 Series

MORStak™ Drum Rackers

- Rack 56" or 102" (142 or 259 cm) high
- · Rack horizontally side-by-side





612 and 622 Series

Horizontal Drum Rackers

- NO Tilt Function
- Rack 56" or 102" (142 or 259 cm) high
- · Rack horizontally side-by-side
- Move in tight spaces
- 6 Foot (183) turning radius





405 Series

Omni-Lift[™] Drum Rackers

- · Rack 72" (183 cm) high
- Larger footprint than MORStak™ Rackers
- · Lifts drum in arc
- Requires space between racked drums



DRUM PALLETIZERS

Stainless or Spark Resistant Models V-Shape Base to Access Pallet

Palletize Upright Drum

RIMMED steel, plastic or fiber drum Raise drum 19" (483 cm) Power lift: AC, 12V DC or Air Manual hand pump lift Capacity: 1000 Lb. (454 kg)



825H Series
Scale-Equipped







81 Series **Drum Spotters**

- · Lower handle to raise drum
- RIMMED 55-gallon (210L) steel, plastic or fiber drum
- Capacity: 800 Lb. (363 kg)

Palletize and Pour Drum

Pour 26" (66 cm) high Power lift: AC, 12V DC or Air Manual hand pump lift Capacity: 600 Lb. (272 kg)





82A Series
Grasp Drum to Turn by Hand

TRUCK - DOLLY - CRADLE



SCAN ME







5-GALLON PAIL HANDLERS

SCAN ME



PailPRO™ 5-Gallon Can Tumblers

- Mix contents inside closed cans
- No exposure, No mess, No clean-up
- Single or Double Can Tumbler
- OSHA, CSA and EU Require enclosure with interlock



Below-Hook Can Tipper



PailPRO™



5-Gallon Pail Dollies



PailPRO[™] Can Tippers Single and Double can models Standard or stainless steel


83 Series

Pail*PRO*™

5-Gallon Pail Handlers

- Lift, move, pour 5-gallon (20L) pail
- Dispense 5 feet (152 cm) high
- **Battery Power or Hand Crank Lift**
- Pour between legs or extended reach





CRS = Report Rep

The Specialist In Drum Handling Equipment



Morse Manufacturing Company, Inc.

103 Kuhn Rd.

Syracuse, NY 13208

Phone: (315) 437-8475 Fax: (315) 437-1029

Email: info@morsedrum.com

Website: morsedrum.com



Drum and Pail Heaters

Flexible band conforms to drum

Adjust thermostat to maintain temperature





MORplug[™] Drum Wrenches

Fit virtually any steel or plastic drum

Ductile iron or spark resistant models



Drum Hand Pumps

Drum Pumps to dispense liquids